


Customize your patient engagement experience, affordably.




COMPLETE TOUCHSCREEN SOLUTIONS THAT SATISFY PATIENTS & STAFF

- Optional Cloud-based GENiO remote content management on medTAB delivers a custom patient TV experience with your brand logo, weblinks to your patient education videos, daily menus, video call software, patient surveys and more.
- PDi makes it affordable and easy to manage with NO ADT integration.
- Not ready to customize? medTAB is simple and scalable out-of-the-box. Choose to setup TV with internet or offer patients expanded entertainment (NO internet required) with pre-loaded TV, games, and relaxation.
- Bleach-cleanable and built for infection control, the complete medTAB arm-mounted patient TV system is built by PDi, the largest TV maker in the USA, focused on healthcare since 1980.

med**TV**.

Everything You Need For An Entertainment System Designed Around The Patient



Secure Mounts for Hospitals, Dialysis, Clinics, Senior Living & More



"...severe headaches made it difficult for my father to wear his glasses, but the TV swing arm allowed him to pull the television close and alleviate his boredom between visits from family and friends." - Rich C.

PDI's innovative designs allow devices to mount to headwalls, counters, ceilings, floors, chairs and more. Ohio-based PDi Communication Systems, Inc. designs, manufactures and builds more complete arm-mounted bedside entertainment systems than anyone in the industry






Cloud-based Customization

-Affordable and optional subscription for remote management software on medTAB

-Saves staff time and steps

-No on-site server

-Keeps patients happy with fewer distruptions and streaming TV





Patients



Improve Staff workflows



Measure Instant Results



Expand Entertainment



Market Your Brand & Services, like Telehealth

Remote Patient TV Management

- -Send/ install Apps -Reboot TVs -Push messages such as "Fire Alarm Testing 2pm" -Expand streaming apps for
- on-demand entertainment and more

TV Cloning

Has your TV signal provider changed your channel line-up? NO PROBLEM Use GENiO to push new TV line-ups to all TVs at once!

Custom Apps

Easy to modify the TV experience
with content that matters most to
your patient populations
Deliver meaningful
patient education to each
department
Compatible with Epic [®] MyChart [®]
Bedside Android_{TM} based
application.



KEY FEATURES



Popular Web-based option for remote content management using GENiO™



Fully integrated all-in-one touchscreen tablet plus TV, built for healthcare.



GENiO or easy USB cloning makes TV set-up and updates quick and simple.



()()

c(VL)us

LISTED

Designed, programmed and assembled in the U.S.A.

low-voltage standards.

Built by PDi for UL healthcare-grade,

Standard cabinet color is Starlight

Gray. Ask about Cream Availability



Continuous, low-voltage power over Coax or Power over Ethernet.



Compatible with PDi arms or available as rear VESA 75x75mm rear-mount for mounting in any situation.



Trust PDi to design, inspect, install, warranty, and repair patient TV systems.

SPECIFICATIONS

PANEL		medTAB ¹⁰	⁸ medTAB ²²
Diagonal Screen Size		15.6″	21.5″
Display Resolution		1920x1080) 1920x1080
Backlight Type		LED	LED
TV STANDARDS	me	dTAB ¹⁶ r	medTAB ²²
Antenna Input NTSC, AT	TSC, Q	AM (Air VHF/UH	F, CATV, IRC, HRC)
IPTV		Yes	
AES- 128 and DISH IP DRM Pro:Idiom® & Pro:Idiom®M		Yes	
Dolby Audio™		Yes	
MPEG4 / MPEG2		Yes	
TV SET-UP FEATURES			
Audio Volume Limiter		Ye	es
Internal Speaker Disable		Y	es
Min/Max Volume Limiter		Y	es
Start/ Power-on Volume		Y	es
USB or GENiO TV Cloning & Firmware Updates		Yi	es
Parental Control (V-CHIP)		Y	es
Programmable Source Selection		Y	es
Password Protected Set-up Menus		Y	es
Channel Enable/Disable and Aliasing/Remapping		Y	es
Closed-captioning		Y	es
Menu OSD	Yes		
Factory Reset	Yes		
POWER		medTAB ¹⁶	medTAB ²²
Source		POE or er over Coax	POE or Power over Coax
Max Consumption		34W	55W
Coax Voltage Input		20-36 VAC/2	20-40 VDC

INPUT/OUTPUT	medTAB ¹⁶	medTAB ²²	
Ethernet	Yes	Yes	
RF Input	1 (75ohm Unbalanced)	1 (750hm Unbalanced)	
USB 2 USB-A	: Patient Facing 1 USB-A	and 1 USB-C, Patient Facing	
HDMI	2 Optional	2 Optional	
Front Headphone	Yes, 1/8" jack	Yes, 1/8" jack	
Speakers	2 x1.7W RMS	2 x1.7W RMS	
CCI	Optional	Optional	
Pillow Speaker	Optional	Optional	
REGULATORY	medTAB ¹⁶	medTAB ²²	
UL 62368-1 Annex DVB			
FCC Title 15, Part 47, Su	bpart B Yes	Yes	
COMPUTER FEATURE	s medTAB ¹⁶	medTAB ²²	
OS	Android 11	Android 11	
CPU	1.9GHz 64-bit Quad Core ARM [®] Cortex™-A55 CPU		
WiFi	WiFi 5	WiFi 5	
Wireless Audio	Yes	Yes	
Ethernet	Yes	Yes	
Touchscreen	Projected Capacitance	Projected Capacitance	
RAM	4GB	4GB	
Storage	16GB	16GB	
Camera/Microphone	Optional, 8MP	Optional, 8MP	
DIMENSIONS	medTAB ¹⁶ medTA	AB ²²	

DIMENSIONS	medTAB ¹⁶	medTAB ²²	
Weight Lbs. (Kg)	7 lbs (3.2 kg)	13 lbs (5.9 kg)	
Unit Dimension (W/H/D) - Swivel	15.2" x 14.8" x 2.5" 386 x 376 x 64mm	20.4" x 17.75" x 3" 519 x 452 x 76mm	
Unit Dimension (W/H/D) - VESA	15.2" x 11.3" x 2.5" 386 x 287 x 64mm	20.4" x 14.5" x 3" 519 x 369 x 76mm	
PART NUMBERS *			

medTAB16E-GB2-C, No Cam/Mic medTAB16E1-GB2-C, with Cam/Mic	16" medTAB Android TV-tablet with GENIO, COAX+CAT6(ENET), Starlight Gray, Coax Power
medTAB22E-GB2-C, No Cam/Mic medTAB22E1-GB2-C, with Cam/Mic	22" medTAB Android TV-tablet with GENiO, COAX+CAT6(ENET), Starlight Gray, Coax Power
WTG-medTAB	Premium Warranty

*Call for other cable, power, or color configuration part numbers.

Pro:Idiom **Dolby** Audio Həmi

HIGH-DEFINITION MULTIMEDIA INTERI


The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

Dolby, Dolby Audio, and the double-D symbol are trademarks of Dolby Laboratories. Android is trademark of Google Inc.

medTV and medTAB are trademarks of PDi Communication Systems, Inc. Some screen images are simulated. Dimension and weights are approximate. Design specification and features are subject to change without notice.

Complete Solutions to Customize Your Patient Engagement Experience

medTV






Document Number: MAR-CAT-841v5 Version 5-402024

16" medTAB Customizable Personal Patient Touchscreen System

Complete PDi Arm System with Individual Power Supply, COAX+CAT6(ENET), Starlight Gray Color





16″

Mount

16" medTAB Customizable Personal Patient Touchscreen System


Complete PDi Arm System with Individual Power Supply, COAX+CAT6(ENET), Starlight Gray Color

	Rear VESA Mounted Solutions			
	COMPLETE CEILING MOUNT / HI-TILT	CHAIR MOUNT	MOBILE CART MOUNT	SPACESAVER INFUSION SYSTEM
	L			
16" HDTV-Tablet	medTAB16E1R-xB2-C with Cam/Mic Coax-powered, rear-mounted 16" All-in-One touchscreen HDTV-Tablet + GENiO. Android [™] -based OS 11. Pro:Idiom. COAX+ENET.			
Support Arm	PDI-AC1410-GB Complete Ceiling Arm (includes support mount above ceiling) 39" arm length, 43" to 68" support length. Holds 7 lbs, COAX	24" reach, 75x75 and 100x100, COAX+CAT6(ENET)	17″ reach, 75x75 and 100x100, COAX+CAT6(ENET) Included with PDI-MCP PDI181-813 Adapter 100x100mm	PD168-066 (includes power supply) 17" reach 75x75 and 100x100
Mount	Mount is included in PDI-AC1410-GB arm. PD168-067-G Pendant Kit Rear-mounted 16″ positions TV parallel to bed	Call for Options. Designs for certain models of Champion Chair, IOA Healthcare Furniture, and La-Z-Boy.	PDI-MCP 48" Mobile medTV cart with integrated cable management and low-voltage power supply.	Mount is included in PD168-066 arm.
Power Supply	PDI-750AS-G Standard External Power Supply	PDI-750AS-G Standard External Power Supply	AC Power is Included In Mobile Cart	Power Supply is Included in PD168-066 arm.
Optional Accessories	PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty	PD181-813 Adapter 100x100mm PD181-783 Plate 100x100mm PD181-785 Plate 75x75mm PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty	PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty	PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty



16" medTAB Customizable Personal Patient Touchscreen System

Complete PDi Arm System with Ten-tap Power Supply, COAX+CAT6(ENET), Starlight Gray Color






16″

Document Number: MAR-CAT-841v5 Version 5-402024

16" medTAB Customizable Personal Patient Touchscreen System

Complete PDi Arm System with Ten-tap Power Supply, COAX+CAT6(ENET), Starlight Gray Color





PDi offers many cable configurations. Standard options are shown below. Remember to order the same cables in PDi arm and medTAB device.

	PART NUMBER	COLOR	CABLES AND DESCRIPTION	
PDi Swivel	HDTV-TABLET			
	medTAB16E1-xB2-G x=color C/G	Cream	COAX+CAT6(ENET). PDi arm-mounted medTAB ¹⁶ with GENiO and Cam/Mic. Power over Coax.	
	PDI-AA1407-xB x=color C/G	Gray	1400 Series Support Arm, 68" reach, Supports 7 lbs for medTAB ¹⁶ . COAX+CAT6(ENET).	
Arm-mounted Solutions HDTV-TABLET with EXTERNAL DEVICES (Gaming Systems, DVD Players, etc.)			S (Gaming Systems, DVD Players, etc.)	
	medTAB16E1-xH2-C x=color C/G	Cream	COAX+CAT6(ENET)+HDMI. PDi arm-mounted medTAB ¹⁶ with GENiO and Cam/Mic. Power over Coax.	
	PDI-AA1407-xH x=color C/G	Gray	1400 Series Support Arm, 68" reach, Supports 7 lbs for medTAB ¹⁶ . COAX+CAT6(ENET)+HDMI.	
Rear VESA Mounted Solutions	medTAB16E1R-xB2-C x=color C/G	Cream	Rear VESA medTAB ¹⁶ with GENiO and Cam/Mic. COAX+CAT6(ENET). Power over Coax.	
	medTAB16E1R-xH2-C x=color C/G	Gray	Rear VESA medTAB ¹⁶ with GENiO and Cam/Mic. COAX+CAT6(ENET)+HDMI. Power over Coax.	

Please call 800.628.9870 for additional configurations.

PDi Individual Low-voltage Power Supplies Individual Slim Individual Power Mount, External Starlight Gray Power Supply, PDI-871-G Starlight Gray PDI-750AS-G PDi 10-Tap Central Power Supplies 10 RF Inputs/ 1 RF Input/ 10 RF ACTV 10 RF ACTV Outputs Outputs PDI-772HE PDI-772HE-IND - For use with PDi Minimods -Ask about Power over Ethernet (POE) TV Options



Color Options

Standard Color is Starlight Gray

Ask about Cream availability





Document Number: MAR-CAT-841v5 Version 5-4Q2024