

Customize your patient engagement experience, affordably.



COMPLETE TOUCHSCREEN SOLUTIONS THAT SATISFY PATIENTS & STAFF

- Optional Cloud-based GENiO remote content management on medTAB delivers a custom patient TV experience with your brand logo, weblinks to your patient education videos, daily menus, video call software, patient surveys and more.
- PDi makes it affordable and easy to manage with NO ADT integration.
- Not ready to customize? medTAB is simple and scalable out-of-the-box. Choose to setup TV with internet or offer patients expanded entertainment (NO internet required) with pre-loaded TV, games, and relaxation.
- Bleach-cleanable and built for infection control, the complete medTAB arm-mounted patient TV system is built by PDi, the largest TV maker in the USA, focused on healthcare since 1980.



Everything You Need For An Entertainment System Designed Around The Patient



OUT-OF-THE-BOX EXPERIENCE

preloaded









Games with internet









Social

Includes "clear data" feature for patient privacy


GENIO™ CUSTOM TV

Cloud-based content management to differentiate your patient engagement experience

*Subscription required



Dimensions (inches) VESA 75x75 medTAB16



Unit Dimensions

 $20.4'' \times 14.5'' \times 3''$ 51.9cm \times 36.9cm \times 7.6cm VESA 75X75









1400 Series Arm

- · Reduces back, neck, and eye strain
- · A better audio experience
- · Secures your device investment
- · Intelligent cable management
- · UL-Listed & Antimicrobial

Low-voltage **Power Supplies**

Safe, UL-Listed low-voltage power supplies



Slim Power Mount 120 VAC In / 24 VDC Out 2.5 amps

PDI-871-COLOR

Standard External **Power Supply** 120 VAC In / 24 VDC Out

2.5 amps PDI-750AS-COLOR





Ten-Tap Power Supply Input 115 VAC/60Hz Selectable Output 28 VAC or 32 VAC

PDI-722HE-COLOR

Secure Mounts for Hospitals, Dialysis, Clinics, Senior Living & More







"...severe headaches made it difficult for my father to wear his glasses, but the TV swing arm allowed him to pull the television close and alleviate his boredom between visits from family and friends."

- Rich C.


PDi's innovative designs allow devices to mount to headwalls, counters, ceilings, floors, chairs and more. Ohio-based PDi Communication Systems, Inc. designs, manufactures and builds more complete arm-mounted bedside entertainment systems than anyone in the industry





Cloud-based Customization

- -Affordable and optional subscription for remote management software on medTAB
- -Saves staff time and steps
- -No on-site server
- -Keeps patients happy with fewer distruptions and streaming TV









Survey Patients & Measure Instant Results





Market Your Brand & Services, like Telehealth

Remote Patient TV Management

- -Send/install Apps
- -Reboot TVs
- -Push messages such as "Fire Alarm Testing 2pm"
- -Expand streaming apps for on-demand entertainment and more

TV Cloning

Has your TV signal provider changed your channel line-up? NO PROBLEM Use GENIO to push new TV line-ups to all TVs at once!

Custom Apps

- -Easy to modify the TV experience with content that matters most to your patient populations
- -Deliver meaningful patient education to each department
- -Compatible with Epic $^{\circ}$ MyChart $^{\circ}$ Bedside Android $_{\rm TM}$ based application.



KEY FEATURES



Popular Web-based option for remote content management using GENiO™



Built by PDi for UL healthcare-grade, low-voltage standards.



Continuous, low-voltage power over Coax or Power over Ethernet.



Fully integrated all-in-one touchscreen tablet plus TV, built for healthcare.



Standard cabinet color is Starlight Gray. Ask about Cream Availability



Compatible with PDi arms or available as rear VESA 75x75mm rear-mount for mounting in any situation.



GENiO or easy USB cloning makes TV set-up and updates quick and simple.



Designed, programmed and assembled in the U.S.A.



Trust PDi to design, inspect, install, warranty, and repair patient TV systems.

SPECIFICATIONS

PANEL		medTAB ¹⁶	medTAB ²²
Diagonal Screen Size		15.6″	21.5″
Display Resolution		1920x1080	1920x1080
Backlight Type		LED	LED
TV STANDARDS	me	edTAB ¹⁶ med	dTAB ²²
Antenna Input	NTSC, ATSC, C)AM (Air VHF/UHF, C.	ATV, IRC, HRC)
IPTV		Yes	
AES- 128 and DISH IP DRM Pro:Idiom® & Pro:Idiom®M		Yes	
Dolby Audio™		Yes	
MPEG4 / MPEG2		Yes	
TV SET-IIP FEATURES			

T۱	/ S	FT	-I ID	EE.	ΔΤΙ	JRES
١,	/ 3		-UF		MIL	ハロコ

Audio Volume Limiter	Yes
Internal Speaker Disable	Yes
Min/Max Volume Limiter	Yes
Start/ Power-on Volume	Yes
USB or GENIO TV Cloning & Firmware Updates	Yes
Parental Control (V-CHIP)	Yes
Programmable Source Selection	Yes
Password Protected Set-up Menus	Yes
Channel Enable/Disable and Aliasing/Remapping	Yes
Closed-captioning	Yes
Menu OSD	Yes
Factory Reset	Yes

POWER	medTAB ¹⁶ medTAB ²²		
Source	POE or Power over Coax	POE or Power over Coax	
Max Consumption	34W	55W	

Coax Voltage Input Pro:Idiemi 20-36 VAC/20-40 VDC





The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. Dolby, Dolby Audio, and the double-D symbol are trademarks of Dolby Laboratories. Android is trademark of Google Inc.

medTV and medTAB are trademarks of PDi Communication Systems, Inc. Some screen images are simulated. Dimension and weights are approximate. Design specification and features are subject to change without notice.

NPUT/OUTPUT	med	ITÁB.	medTAB ²²	
Ethernet	Ye	s	Ye	S
RF Input	1 (75ohm Unb	alanced)	1 (75ohm	Unbalanced)
USB 2	USB-A: Patient Facing	1 USB-/	and 1 USB-C,	Patient Facing
HDMI	2 Optio	2 Optional		tional
Front Headphone	Yes, 1/8	" jack	Yes, 1/	8" jack
Speakers	2 x1.7W	RMS	2 x 1.7 V	V RMS
CCI	Optio	nal	Opti	onal
Pillow Speaker	Optio	nal	Optio	onal
REGULATORY	medTA	∆B ¹⁶	med ⁻	TAB ²²
UL		62368-1 An	nex DVB	
500 Till 45 B	47. Subpart B Yes	2		
FCC Title 15, Part	47, Subpart B Yes	5	Yes	3
COMPUTER FEAT		ITAB ¹⁶	:	edTAB ²²
	TURES med	:	me	
COMPUTER FEAT	TURES med	ITAB ¹⁶ oid 11	me	edTAB ²² roid 11
OMPUTER FEA	TURES med	ITAB ¹⁶ oid 11 bit Quad Core	me Andr	edTAB ²² roid 11
OS CPU	Andre 1.9GHz 64-	ITAB ¹⁶ oid 11 bit Quad Core	Andr ARM® Cortex _{TM} - <i>F</i>	edTAB ²² roid 11 A55 CPU
OS CPU Wifi	Andro 1.9GHz 64-	ITAB ¹⁶ oid 11 bit Quad Core	Andr ARM® Cortex _{TM} -F	edTAB ²² oid 11 A55 CPU i 5
OS CPU WiFi Wireless Audio	Andro 1.9GHz 64-	DITAB ¹⁶ oid 11 bit Quad Core i 5 es	Me Andr ARM® Cortex™ A WiF Ye	edTAB ²² roid 11 A55 CPU ii 5 s
OS CPU WiFi Wireless Audio Ethernet	Andro 1.9GHz 64- WiF Yo Projected Ca	DITAB ¹⁶ oid 11 bit Quad Core i 5 es	Andr ARM® Cortex™-A WiF Ye Ye	edTAB ²² roid 11 A55 CPU ii 5 s
OS CPU WiFi Wireless Audio Ethernet Touchscreen	Andro 1.9GHz 64- WiF Yo Projected Ca	Did 11 bit Quad Core i 5 es es pacitance	Andr ARM® Cortex™-A WiF Ye Ye	edTAB ²² roid 11 A55 CPU i 5 s s apacitance GB
OS CPU WiFi Wireless Audio Ethernet Touchscreen RAM	Andro 1.9GHz 64- WiF Yo Projected Ca 40	Did 11 bit Quad Core i 5 es pacitance GB	Andr ARM® Cortex _{TM} -F WiF Ye Projected Ca	edTAB ²² roid 11 A55 CPU i 5 s s apacitance GB
OS CPU WiFi Wireless Audio Ethernet Touchscreen RAM Storage	Andro 1.9GHz 64- WiF Yo Projected Ca 40	Did 11 bit Quad Core i 5 es es pacitance GB	Andr ARM® Cortex™ A WiF Ye Projected Ca 40 Optice	edTAB ²² roid 11 A55 CPU i 5 s s apacitance GB
OS CPU WiFi Wireless Audio Ethernet Touchscreen RAM Storage Camera/Micropho	Andre 1.9GHz 64-1 WiF You Projected Ca 40 Option Option	Did 11 bit Quad Core i 5 es pacitance GB GB mal, 8MP	ARM® Cortex _{TM} A WiF Ye Projected C: 40 Option	edTAB ²² roid 11 A55 CPU i 5 s s apacitance GB

*Call for other cable, power, or color configuration part numbers.

15.2" x 11.3" x 2.5"

386 x 287 x 64mm

20.4" x 14.5" x 3"

 $519 \times 369 \times 76 mm$

Gray, Coax Power

Gray, Coax Power

Premium Warranty

16" medTAB Android TV-tablet with

22" medTAB Android TV-tablet with

GENIO, COAX+CAT6(ENET), Starlight

GENIO, COAX+CAT6(ENET), Starlight

Unit Dimension

(W/H/D) - VESA **PART NUMBERS ***

WTG-medTAB

medTAB16E-GB2-C, No Cam/Mic

medTAB22F-GB2-C, No Cam/Mic

medTAB22E1-GB2-C, with Cam/Mic

medTAB16E1-GB2-C, with Cam/Mic




Complete Solutions to Customize Your Patient Engagement Experience



med**TAB**.22





GENIO™ CUSTOM PATIENT EXPERIENCE

Easily customize your patient experience with GENiO™ cloud-based remote content management by PDi.






Complete PDi Arm System with Individual Power Supply, COAX+CAT6(ENET), Starlight Gray Color

			Swivel Arm-mo	unted Solutions		
	HEADWALL MOUNT	COUNTER MOUNT	RIGHT ANGLE MOUNT	SUPER REACH CEILING MOUNT	HORIZONTAL MOUNT	FLOOR MOUNT
	POPTER FOR THE STATE OF THE ST					
22" HDTV-Tablet			medTAB22E-GB owered 22" All-in-One to	32-C with Cam/Mic 32-C No Cam/Mic uchscreen HDTV-Tablet + om and Pro:IdiomM. COA		
Support Arm	PDI-AA1413-GB 68" Arm, 5/8" Base Pin, Holds 13 lbs, COAX+CAT6(ENET)	PDI-AA1413-GB 68" Arm, 5/8" Base Pin, Holds 13 lbs, COAX+CAT6(ENET)	PDI-AA1413-GB 68" Arm, 5/8" Base Pin, Holds 13 lbs, COAX+CAT6(ENET)	PDI-AJ1013F-GB Extended 48" Reach Ceiling Arm (includes support mount above ceiling) Holds 13 lbs, COAX+CAT6(ENET)	PD153-004-G and PDI-AD1413-GB Great for low ceilings, No upward arm motion, Std 23.5" extension, 31" drop reach. Holds 13 lbs, COAX+CAT6(ENET)	PDI-AA1413-GB 68" Arm, 5/8" Base Pin, Holds 13 lbs, COAX+CAT6 (ENET)
Mount	Mount is included in Slim Power Mount (PDI-871-G)	PDI-STM-18AV-G 18" Single Table Mount with Rotational Stops and A/V Plate	PDI1295WRS- AV-G Right Angle Counter Mount with Rotational Stops and A/V Cutout	Mount PDI- AJ1013F-GB is Included in Arm	Mount is Included in Slim Power Mount (PDI-871-G)	PDI-886-G 48" tall Floor Mount, 5/8" Base Pin
Power Supply	PDI-871-G Slim Power Mount Combo Unit = Mount and Power	PDI-750AS-G Standard External Power Supply	PDI-750AS-G Standard External Power Supply	PDI-750AS-G Standard External Power Supply	PDI-871-G Slim Power Mount Combo Unit = Mount and Power	PDI-750AS-G Standard External Power Supply
Optional Accessories	PDI-179RS-G Rotational Stop PDI-255E-G External Backer Plate, 16" OC PDI-254I Internal Backer Plate, 16" OC PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty	PD203-103-G AV Plate, COAX+CAT5 PDI-STM-BP Internal Backer Plate PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty	PD203-103-G AV Plate, COAX+CAT5 PDI-STM-BP Internal Backer Plate PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty	PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty	PDI-179RS-G Rotational Stop PDI-255E-G External Backer Plate, 16"OC PDI-254I Internal Backer Plate, 16"OC PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty	PDI-244DBF-G Dual Rotational Stops PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-medTAB Premium Warranty



Complete PDi Arm System with Individual Power Supply, COAX+CAT6(ENET), Starlight Gray Color





Complete PDi Arm System with Ten-tap Power Supply, COAX+CAT6(ENET), Starlight Gray Color



HDTV-Table medTAB22E1-GB2-C with Cam/Mic medTAB22E-GB2-C No Cam/Mic 22" Coax-powered 22" All-in-One touchscreen HDTV-Tablet + GENiO. Android™-based OS 11.0. Pro:Idiom and Pro:IdiomM. COAX+ENET.

Support Arm	PDI-AA1413-GB 68" Arm, 5/8" Base Pin, Holds 13 lbs, COAX+CAT6(ENET)	PDI-AA1413-GB 68" Arm, 5/8" Base Pin, Holds 13 lbs, COAX+CAT6 (ENET)	PDI-AA1413-GB 68" Arm, 5/8" Base Pin, Holds 13 lbs, COAX+CAT6(ENET)	PDI-AJ1013F-GB Extended 48" Reach Ceiling Arm (includes support mount above ceiling) Holds 13 lbs, COAX+CAT6(ENET)	PD153-004-G and PDI-AD1413-GB Great for low ceilings, upward arm motion,S 23.5" extension, 31" drop reach. Holds 13 COAX+CAT6(ENET)

PDI1295WRS-AV-G PDI-STM-18AV-G Mount PDI-AJ1013F-GB 18" Single Table Right Angle Counter Mount with Mount with Rotational is Included in Arm Stops and A/V Cutout **Rotational Stops** and A/V Plate

eilings, No otion,Std , 31" lds 13 lbs. NET)

PDI-179AV-G

COAX+CAT6 (ENET) PDI-886-G Standard Arm Mount

48" tall Floor Mount, 5/8" Base Pin

PDI-AA1413-GB

68" Arm, 5/8" Base Pin.

Holds 13 lbs,

PDI-772 Ten-tap Central Power Supply

	PDI-179-EXT-G 4" Extension
S	PDI-179RS-G Rotational Stop

Mount

PDI-179AV-G

Standard Arm Mount

PDI-255E-G External Backer Plate, 16" OC

PDI-254I Internal Backer Plate, 16" OC

PD108-520 Programming Remote

PD108-421 or PD108-527 Patient Remote

WTG-medTAB Premium Warranty PD203-103-G AV Plate, COAX+CAT5

PDI-STM-BP Internal Backer Plate

PD108-520 Programming Remote

PD108-421 or PD108-527 Patient Remote

WTG-medTAB Premium Warranty PD203-103-G AV Plate, COAX+CAT5

PDI-STM-BP Internal Backer Plate

PD108-520 Programming Remote

PD108-421 or PD108-527

Patient Remote WTG-medTAB Premium Warranty PD108-520 Programming Remote

PD108-421 or PD108-527

Patient Remote

WTG-medTAB Premium Warranty

PDI-179-EXT-G 4" Extension

PDI-179RS-G

Rotational Stop

PDI-255E-G External Backer Plate, 16"OC

PDI-2541 Internal Backer Plate, 16"OC

PD108-520 Programming Remote

PD108-421 or PD108-527 Patient Remote

WTG-medTAB Premium Warranty PDI-244DBF-G

Dual Rotational Stops

PD108-520

Programming Remote

PD108-421 or PD108-527


Patient Remote

WTG-medTAB Premium Warranty



Optional Accessorie

Complete PDi Arm System with Ten-tap Power Supply, COAX+CAT6(ENET), Starlight Gray Color





PDi offers many cable configurations. Standard options are shown below. Remember to order the same cables in PDi arm and medTAB device.

	PART NUMBER	COLOR	CABLES AND DESCRIPTION		
	HDTV-TABLET				
	medTAB22E1-xB2-C x=color C/G	Cream	COAX+CAT6(ENET). PDi arm-mounted medTAB ²² with GENiO capability and Cam/Mic. Power over Coax.		
PDi Swivel	PDI-AA1413-xB x=color C/G	Gray	1400 Series Support Arm, 68" reach, Supports 13 lbs for medTAB ²² . COAX+CAT6(ENET).		
Arm-mounted Solutions	HDTV-TABLET with EXTE	HDTV-TABLET with EXTERNAL DEVICES (Gaming Systems, DVD Players, etc.)			
	medTAB22E1-xH2-C x=color C/G	Cream	COAX+CAT6(ENET)+HDMI. PDi arm-mounted medTAB ²² with GENiO capability and Cam/Mic. Power over Coax.		
	PDI-AA1413-xH x=color C/G	Gray	1400 Series Support Arm, 68" reach, Supports 13 lbs for medTAB ²² . COAX+CAT6(ENET)+HDMI.		
Rear VESA Mounted Solutions	medTAB22E1R-xB2-C x=color C/G	Cream Gray	Rear VESA medTAB ²² with GENiO capability and Cam/Mic. COAX+CAT6(ENET). Power over Coax.		
	medTAB22E1R-xH2 x=color C/G		Rear VESA medTAB ²² with GENiO capability and Cam/Mic. COAX+CAT6(ENET)+HDMI.		

Please call 800.628.9870 for additional configurations.

PDi Individual Low-voltage Power Supplies



Individual Slim Power Mount, Starlight Gray **PDI-871-G**



Individual External Power Supply, Starlight Gray **PDI-750AS-G**

PDi 10-Tap Central Power Supply



1 RF Input/ 10 RF ACTV Outputs **PDI-772HE**

Ask about Power over Ethernet (POE) TV Options



Color Options

Starlight Gray, Cream



