

med**TV**⁵⁵

medTV Smart 55"

medTV⁵⁵



medTV Smart 55"

SPECIFICATIONS

- 4K Ultra-HD 3840 x 2160
- 55" Diagonal Panel
- Cabinet Dims (WxHxD): 49.2" x 28.5" x 2.1" (125 x 72.5 x 5.5 cm)
- Shipping Weight: 59 lbs
- 400x400mm, 8mm

For more info, visit
pdiam.com/products/a-series55

55" LED HDTV WITH SMART TECHNOLOGY

- Compatible with Epic®MyChart®BedsideTV
- Use as simple TV or medTV with integrated game and relaxation apps, no internet required
- Smart TV Capable (Android OS 11) to work with Interactive Patient Software Systems
- Easy to customize with GENiO™ remote management (optional)
- UL-Listed, Healthcare-grade for use in USA and Canada
- ATSC, NTSC, QAM
- Pro:Idiom®, Pro:Idiom®M, AES-128 and DISH IP DRM
- IPTV Capable
- Multi-bed Codes, Volume Limiters, and More
- Universal Pillow Speaker Recognition
- USB Clone Capable





Android™ -based Smart Hospital TVs

PDi 75" 65" 55" 43" 32" 24"

Android 11 OS, compatible with
Epic MyChart Bedside TV

Improve your patient and staff experience,
with information and entertainment

NOW AVAILABLE AS BEDSIDE TV HARDWARE ON EPIC SHOWROOM

Deliver patient health information on the PDi Android-based hospital TVs compatible with the interactive MyChart Bedside TV Android app, available from Epic Systems Corp. Patients access daily health schedules, pre-op instructions, patient medication information, care team, and more on PDi Smart Hospital TVs.

POPULAR EXPANDED ENTERTAINMENT

Delight patients with built-in pillow-speaker controlled TV, games, and relaxation, no internet required. Customize your patient experience and save staff steps using the cloud-based GENiO™ interactive platform by PDi.

UL-LISTED FOR HEALTHCARE

Safe for healthcare use in the USA and Canada. PDi A-Series hospital-grade displays offer Pro:Idiom® and Pro:Idiom® M, AES-128, and DISH IP-DRM. Enjoy features including IPTV capability, multi-bed codes, volume limiters, universal pillow speaker recognition, USB cloning, and more to satisfy patients and staff.

As Listed in Epic Showroom

PDi TVs Meet Minimum Requirements
for MyChart Bedside TV Hardware

- Android Version 9.0 or later
- Minimum 1.5 GB RAM
- Pillow speaker with 4-way Navigation Buttons, OK/Select Button, and a Back Button

A-Series Healthcare Televisions

Easily customize with
GENiO cloud-based
software by PDi

GENiO™

powered by PDi

Consistently
Educate Patients

Improve
Staff Workflows

Survey Patients &
Measure Instant Results

Cloud based Remote
Management

Expand Entertainment


Market Your Brand &
Services

MODELS & SPECIFICATIONS



Includes TV, relaxation, and games; no internet required. Expand engagement with internet access or GENiO™ cloud-based customization and remote management software by PDi.

	PDI-A75C2	PDI-A65C2	PDI-A55C2	PDI-A43C2	PDI-A32C2	PDI-A24C2
Android OS	Android 11	Android 11	Android 11	Android 11	Android 11	Android 11
Diagonal Panel Size	75" (190.1 cm)	65" (165.1 cm)	55" (139.7cm)	43" (109 cm)	31.5" (80.0 cm)	23.5" (59.8 cm)
Backlight Type	Back Lit LED	Back Lit LED	Edge Lit LED	Edge Lit LED	Edge Lit LED	Edge Lit LED
Native Resolution	3840 x 2160 (UHD)	3840 x 2160 (UHD)	3840 x 2160 (UHD)	3840 x 2160 (UHD)	1366x768(HD)	1920x1080(FHD)
Speakers/ Audio Output	2 x 5 W	2 x 5 W	2 x 5 W	2 x 5 W	2 x 5 W	2 x 3 W
Power Supply	120 VAC/60 Hz	120 VAC/60 Hz	120 VAC/60 Hz	120 VAC/60 Hz	120 VAC/60 Hz	120 VAC/60 Hz
Power Consumption		179 W	120 W	84 W	50 W	40 W
Max and Normal/ Low Standby		<15 W / <1 W	<15 W / <1 W	<15 W / <1 W	<15 W / <1 W	<15 W / <1 W
Unit Dimensions W x H x D	65.3" x 38.0" x 2.80" (165.8 x 96.5 x 7.1cm)	57.6" x 33.1" x 3.15" (146.2 x 84 x 8.0cm)	49.2" x 28.5" x 2.1" (125 x 72.5 x 5.5cm)	38.6" x 22.4" x 2.2" (98 x 57 x 6cm)	29.2" x 17.1" x 2.3" (74 x 43.5 x 6cm)	22.0" x 13.1" x 2.1" (56 x 34 x 5.3cm)
Carton Size & Carton Weight	72" x 43" x 8" 80 lbs	63" x 38" x 8" 56 lbs	58" x 41" x 8" 59 lbs	42" x 26" x 6" 32 lbs	32" x 21" x 5" 19 lbs	25" x 16" x 5" 12 lbs
VESA Mount Pattern	600x400, 8mm	200x300, 6mm	400x400, 8mm	200x200, 6mm	100x200, 6mm	100x100, 4mm
Warranty	3 year Standard 5 year Optional	3 year Standard 5 year Optional	3 year Standard 5 year Optional	3 year Standard 5 year Optional	3 year Standard 5 year Optional	3 year Standard 5 year Optional



**Exclusive
PDi Pillow Speaker Control**

Ask for Curbell PDi-GENiO pillow speakers for smart control.

*Typical connections. Placement varies by model.

HEALTHCARE FEATURES

AC2



Pro:Idiom

GENiO
powered by PDI



DOLBY AUDIO™

HDMI®
HIGH-DEFINITION MULTIMEDIA INTERFACE

HEALTHCARE TV FEATURES

Auto Power On	Yes	Direct Access to Source from Pillow Speaker	Yes	Channel Tiers	3 (Free/Basic/Premium)
Pro:Idiom® Pro:Idiom®M	Yes	Programmable Source Selection	Yes	Digital Channel Autoscan and On/Off Capability	Yes
AES 128	Yes	Channel Enable/Disable	Yes	Customizable Power On Splash Screen	Yes
DISH IP	Yes	Parental Control (V-CHIP)	Yes	UL Hospital Grade	Yes
Multi-Bed Codes A/B/C/D	Yes	Sleep Timer	Yes	Setup Menu Password Lock	Yes
Min/Max Volume Limiter	Yes	OSD Language Limiter	English/Spanish/French	Set-up Wizard	Yes
Power-on Volume	Yes	SI Control Port	CCI/MTI/Smart Port	Pre-loaded Apps	Yes
Internal Speaker Disable	Yes	Universal Recognition Pillow Speaker	Yes, 3 Conductor 1/4" Female		
USB Cloning	Yes				
Curbell PDI-GENiO Pillow Speaker	Yes				
Pillow Speaker Voltage	5V				

AUDIO/VIDEO BROADCAST SYSTEMS

Aspect Ratio	16:9, 4:3
Multicast IP	Yes
NTSC/ATSC/QAM	Air VHF/UHF, CATV, IRC, HRC
MPEG4/MPEG2	Yes
Supported Formats	1080p/1080i/720p/576p/576i/480p/480i
Speakers/Audio Output Power	2 x 5W RMS, except 24" 2 x 3W RMS
Analog Channels	Mono/Stereo/SAP
Digital Channels	Multilingual
Tone Control Balance	Custom/Flat/Music/Movie/ Speech
Source Input Leveling (AVC)	Yes
Dolby Audio	2 ch

INPUT/OUTPUT

AC	IEC Male, Hospital-grade
USB Port (Cloning/Firmware Updates/Multimedia Use)	Yes, 2
RF Input	Yes
HDMI/HDCP Compliant/HDMI-CEC	Yes, 3
CCI	Yes
MTI/SmartPort	Yes
Pillow Speaker I/O	Yes, 3 conductor 1/4" female
Ethernet	Yes
WiFi 6	Yes
Wireless Audio	Yes

PROCESSOR

OS	Android11
Memory	2 GB RAM/ 16GB Flash

POWER & POWER-SAVING FEATURES

Power Source	120V +/-15%, 60Hz
Inactive Power Off	Configurable Timer
Configurable Standby Power	Yes
COMPLIANCE	
UL/cUL 62368-1, Annex DVB	75" 65"
UL/cUL 60065, Annex Q	55" 43" 32" 24"
FCC Title 47 Part 15	Yes
Warranty	3 Year Standard 5 Year Optional



Fully integrated solutions to improve the experience.

Choose from a wide array of mounting options and amenities from PDi to perfectly place your PDi A-Series set in lobbies, waiting rooms, or your patient room & help the patient and visitors feel at home. Increase patient satisfaction with expanded entertainment accessories or options.

Contact PDi to learn about custom mount services, installation and integrated solutions.

Visit www.pdiarm.com.

ACCESSORIES



TABLE STAND



ARTICULATING WALL BRACKET



WIRELESS KEYBOARD



CURBELL PDI-GENiO
Pillow Speaker

TV Model	PDI-A75C2	PDI-A65C2	PDI-A55C2	PDI-A43C2	PDI-A32C2	PDI-A24C2
Standard Flat Wall Mount		PD168-088	PD168-070	PD168-033	PD168-079	PD168-079
Articulating Wall Mount for TV		PD168-110	PD168-110	PD168-110	PD168-110	PD181-700
Table Stand	PD168-108 or PD168-084	PD168-108 or PD168-084	PD168-108 or PD168-084	PD168-108 or PD168-084	PD168-108 or PD168-084	PD168-084
J Hook Mount		PD168-089	PD168-087	PD168-086	PD168-086	PD168-086
GENiO Remote Management	Optional	Optional	Optional	Optional	Optional	Optional
Pillow Speaker	Ask for Curbell PDi-GENiO Pillow Speaker					
Program Remote	PD108-520	PD108-520	PD108-520	PD108-520	PD108-520	PD108-520
Extended Warranty	Available FirstYear of Purchase					
Wireless Keyboard	PD902-950	PD902-950	PD902-950	PD902-950	PD902-950	PD902-950

MyChart is a trademark of Epic Systems Corporation. Dolby, Dolby Audio, and the double-D symbol are trademarks of Dolby Laboratories. Android is trademark of Google Inc. The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. Some screen images are simulated. Dimensions and weights are approximate. Design specifications and features are subject to change without notice.

55" A-Series Enhanced Entertainment Patient Televisions

MODEL NUMBER PDI-A55C2



Simple TV



Enhanced medTV

Built-in smart apps, no internet required, easy pillow speaker control




medTV SMART with GENiO™

Customize your patient experience with GENiO™ cloud software by PDi



Compatible Mounts

	LOW-PROFILE FLAT MOUNT	ARTICULATING WALL MOUNT	J-HOOK ARTICULATING WALL MOUNT	CEILING GRID MOUNTS		TABLE STANDS	
							
Mount	PD168-070 Sleek design positions the TV close to the wall. Max Extension 4.5" (11.4 cm) Tilt Up 5 degrees Down 30 degrees	PD168-110 Tilt +/- 33 degrees Swivel 90° L/R Extends 10.6" (26.7 cm)	PD168-087 Extends the TV 10.5" (26.7 cm) away from the wall. Weight capacity 55lbs (25 kg)	PD1-LCD-GRID-MT Grid mount ceiling support. Requires PD168-070 flat mount. (order separately) Ask about high-tilt option and column extensions	PD1-DUAL-GRID-MT Grid mount ceiling support. Requires PD168-070 flat mount. (order separately) Ask about high-tilt option and column extensions	PD168-108 Freestanding, glass tabletop. Supports 88 lbs. Weighs 16 lbs	PD168-084 Compatible with VESA patterns 75x75 to 600x400. Fits TV displays up to 70"
Optional Accessories	PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-A55 Premium Warranty Pillow Speaker Ask for Curbell PDI-GENiO Wireless Keyboard PD902-950	PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-A55 Premium Warranty Pillow Speaker Ask for Curbell PDI-GENiO Wireless Keyboard PD902-950	PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-A55 Premium Warranty Pillow Speaker Ask for Curbell PDI-GENiO Wireless Keyboard PD902-950	PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-A55 Premium Warranty PD168-082 2ft Extension PD168-083 3ft Extension Pillow Speaker Ask for Curbell PDI-GENiO Wireless Keyboard PD902-950	PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-A55 Premium Warranty PD168-082 2ft Extension PD168-083 3ft Extension Pillow Speaker Ask for Curbell PDI-GENiO Wireless Keyboard PD902-950	PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-A55 Premium Warranty Pillow Speaker Ask for Curbell PDI-GENiO Wireless Keyboard PD902-950	PD108-520 Programming Remote PD108-421 or PD108-527 Patient Remote WTG-A55 Premium Warranty Pillow Speaker Ask for Curbell PDI-GENiO Wireless Keyboard PD902-950


medTV⁵⁵

55"
Large-screen
TV Mounting
Options

Enhanced entertainment,
no internet required

Model Number PDI-A55C2

Typical I/O Connectors




*Typical connections. Placement varies by model.

VESA Pattern

VESA mount is 400x400, 8mm threads.

- A: 16.7 inches | 425.1 mm
- B: 16.7 inches | 425.1 mm
- C: 6.4 inches | 162.4 mm
- D: 6.4 inches | 162.4 mm



Patient TV Remote Control Options



Curbell PDi-GENiO Pillow Speaker



Wireless Keyboard PD902-950

medTV⁵⁵
TV Control Options

Healthcare Features

Model Number PDI-A55C2



HEALTHCARE TV FEATURES

Auto Power On	Yes	Direct Access to Source from Pillow Speaker	Yes	Channel Tiers	3 (Free/Basic/Premium)
Pro:Idiom® Pro:Idi-om®M	Yes	Programmable Source Selection	Yes	Digital Channel Autoscans and On/Off Capability	Yes
AES 128	Yes	Channel Enable/Disable	Yes	Customizable Power On Splash Screen	Yes
DISH IP	Yes	Parental Control (V-CHIP)	Yes	UL Hospital Grade	Yes
Multi-Bed Codes A/B/C/D	Yes	Sleep Timer	Yes	Setup Menu Password Lock	Yes
Min/Max Volume Limiter	Yes	OSD Language Limiter	English/Spanish/French	Set-up Wizard	Yes
Power-on Volume	Yes	SI Control Port	CCI/MTI/Smart Port	Pre-loaded Apps	Yes
Internal Speaker Disable	Yes	Universal Recognition Pillow Speaker	Yes, 3 Conductor 1/4" Female		
USB Cloning	Yes				
Curbell PDi-GENiO Pillow Speaker	Yes				
Pillow Speaker Voltage	5V				

PROCESSOR

OS	Android11
Flash Memory	2 GB RAM/ 16GB Flash

POWER & POWER-SAVING FEATURES

Power Source	120V +/-15%, 60Hz
Inactive Power Off	Configurable Timer
Configurable Standby Power	Yes

COMPLIANCE

UL/cUL 62368-1, Annex DVB	75" 65"
UL/cUL 60065,Annex Q	55" 43" 32" 24"
FCC Title 47 Part 15	Yes
Warranty	3 Year Standard 5 Year Optional

AUDIO/VIDEO BROADCAST SYSTEMS

Aspect Ratio	16:9, 4:3
Multicast IP	Yes
NTSC/ATSC/QAM	Air VHF/UHF, CATV, IRC, HRC
MPEG4/MPEG2	Yes
Supported Formats	1080p/1080i/720p/576p/576i/480p/480i
Speakers/Audio Output Power	2 x 5W RMS, except 24" 2 x 3W RMS
Analog Channels	Mono/Stereo/SAP
Digital Channels	Multilingual
Tone Control Balance	Custom/Flat/Music/Movie/ Speech
Source Input Leveling (AVC)	Yes
Dolby Audio	2 ch

INPUT/OUTPUT

AC	IEC Male, Hospital-grade
USB Port (Cloning/Firmware Updates/Multimedia Use)	Yes, 2
RF Input	Yes
HDMI/HDCP Compliant/HDMI-CEC	Yes, 3
CCI	Yes
MTI/SmartPort	Yes
Pillow Speaker I/O	Yes, 3 conductor 1/4" female
Ethernet	Yes
WiFi 6	Yes
Wireless Audio	Yes

Easily customize with GENiO cloud-based software by PDi

GENiO
powered by PDi

Consistently Educate Patients

Improve Staff workflows

Survey Patients & Measure Instant Results

Cloud based Remote Management, NO ADT

Expand Entertainment

Market Your Brand & Services, like Telchealth